








SMT


KEY LOCATIONS




36 CIRCUIT
RETENTION FIT
SHELL OPTION SHOWN

NOTES:

1. MATERIAL:
CONNECTOR:
HOUSING - HIGH TEMPERATURE THERMOPLASTIC GLASS FILLED, UL 94V-0, BLACK
TERMINALS - COPPER ALLOY
SHELL
NICKEL SILVER, C770, THICKNESS: 0.250/0.254
2. FINISH:
CONNECTOR
OPTION 1
CONTACT AREA - 0.38µm MIN GOLD OVER 2.54 µm NICKEL
SOLDER FOOT AREA - 2.54-5.09µm TIN OVER 1.27 µm NICKEL
OPTION 2
CONTACT AREA - 0.76µm MIN GOLD OVER 2.54 µm NICKEL
SOLDER FOOT AREA - 2.54-5.09µm TIN OVER 1.27 µm NICKEL
3. TERMINAL SOLDER FEET TO BE COPLANAR WITHIN 0.10 MEASURED FROM DATUM E
4. DATE CODE: 4 DIGIT (3 DIGIT DAY, 1 DIGIT YEAR) ON CONNECTOR ONLY
5. CIRCUIT IDENTIFIER: SEE APPROPRIATE INDUSTRY SPECIFICATION FOR LOCATION OF PIN 1
6. TO BE USED WITH THE FOLLOWING CABLE SERIES:
79575/74563/79576/74573/79536/74562/74569/74586
7. PACKAGED PER PACKAGING SPECIFICATION: PK-75783-001
8. CONFORMS TO PRODUCT SPECIFICATION: PS-75783-001
9. PROCESS PER APPLICATION SPECIFICATION: AS-75783-001
10. THIS PART CONFORMS TO CLASS C REQUIREMENTS OF COSMETIC SPEC PS-45499-002








iPassTM IS A TRADEMARK OF MOLEX

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: 75784-0136 & 75784-0137, Mentioned part numbers have been re-added to the Doc.			molex		
mm		5:1							
GENERAL TOLERANCES (UNLESS SPECIFIED)		I-PASS VERT CONNECTOR INTERNAL ASSY W/SHELL 0.8MM PITCH I/O							
ANGULAR TOL ± 0.5°									
4 PLACES ±									
3 PLACES ±		STATUS: Production DRWN: Vishal Ramesh Hosur 2024-02-23 CHK'D: Ganesh Rao B 2024-02-26 APPR: Gurunandan GA 2024-02-26			PRODUCT SALES DRAWING				
2 PLACES ± 0.130					DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
1 PLACE ± 0.25					SD-75784-001		PSD	001	D8
0 PLACES ±					MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					THIRD ANGLE PROJECTION	DRAWING	SERIES	SEE TABLE	GENERAL MARKET
		C-SIZE	75784						

CIRCUIT SIZE	DIM 'A'	DIM 'B'	DIM 'C'
36	16.00	17.80	15.80
50	21.60	23.40	21.40
68	28.80	30.60	28.60

ASSEMBLY WITH PRE-POSITIONING DEVICE



36 CIRCUIT RETENTION FIT SHOWN





- NOTES:
- PICK AND PLACE LOCATION DEFINED ON APPLICATION SPECIFICATION AS-75783-001
 - PACKAGING CONSISTS OF CONNECTOR AND SHELL WITH A PRE-POSITIONING PICK AND PLACE DEVICE THAT ARE PACKAGED IN "TAPE AND REEL" FOR ROBOTIC PICK AND PLACE.

iPass™ IS A TRADEMARK OF MOLEX


CIRCUIT SIZE	DIM 'D'
36	19.50
50	25.10
68	32.30

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: 75784-0136 & 75784-0137, Mentioned part numbers have been re-added to the Doc. I-PASS VERT CONNECTOR INTERNAL ASSY W/SHELL 0.8MM PITCH I/O PRODUCT SALES DRAWING DOCUMENT NUMBER SD-75784-001 DOC TYPE PSD DOC PART 001 REVISION D8					
mm		5:1							
GENERAL TOLERANCES (UNLESS SPECIFIED)									
ANGULAR TOL ± 0.5°									
4 PLACES		±							
3 PLACES		±							
2 PLACES		± 0.130							
1 PLACE		± 0.25							
0 PLACES		±							
STATUS: Production DRWN: Vishal Ramesh Hosur									


SHELL PCB INTERFACE



RETENTION-FIT
SHELL OPTION



SMT SHELL OPTION



THRU-HOLE SHELL OPTION
SEE TABLE FOR LENGTH
(X.XX DENOTES LENGTH)





RECOMMENDED PCB THICKNESS FOR SPECIFIED TAIL LENGTH	
TAIL LENGTH	PCB THICKNESS
1.96	1.57 (.062)
2.79	2.36 (.093)
3.18	2.79 (.110)
3.56	3.18 (.125)

NOTE:
RETENTION FIT DENOTES TAILS THAT OFFER RETENTION
TO PCB DURING REFLOW PROCESS
SMT DENOTES SURFACE MOUNT TERMINATION
T/H X.XX DENOTES THRU-HOLE TAIL OF LENGTH X.XX

iPass™ IS A TRADEMARK OF MOLEX

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS mm		SCALE 4:1		CURRENT REV DESC: 75784-0136 & 75784-0137, Mentioned part numbers have been re-added to the Doc. molex I-PASS VERT CONNECTOR INTERNAL ASSY W/SHELL 0.8MM PITCH I/O PRODUCT SALES DRAWING											
GENERAL TOLERANCES (UNLESS SPECIFIED)															
ANGULAR TOL ± 0.5°															
4 PLACES ±															
3 PLACES ±				STATUS: Production DRWN: Vishal Ramesh Hosur 2024-02-23 CHK'D: Ganesh Rao B 2024-02-26 APPR: Gurunandan GA 2024-02-26											
2 PLACES ± 0.130															
1 PLACE ± 0.25				DOCUMENT NUMBER SD-75784-001				DOC TYPE PSD		DOC PART 001		REVISION D8			
0 PLACES ±				THIRD ANGLE PROJECTION 		DRAWING C-SIZE		SERIES 75784		MATERIAL NUMBER SEE TABLE		CUSTOMER GENERAL MARKET		SHEET NUMBER 3 OF 12	

KEYING OPTIONS



	UNIVERSAL SHELL	LEFT KEY SHELL	RIGHT KEY SHELL	DUAL KEY SHELL
NO KEY PLUG	YES	NO	NO	NO
LEFT KEY PLUG	YES	YES	NO	NO
RIGHT KEY PLUG	YES	NO	YES	NO
UNIVERSAL PLUG	YES	YES	YES	YES

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC: 75784-0136 & 75784-0137, Mentioned part numbers have been re-added to the Doc.								
mm	2:1									
GENERAL TOLERANCES (UNLESS SPECIFIED)										
ANGULAR TOL	± 0.5°									
4 PLACES	±	STATUS: Production DRWN: Vishal Ramesh Hosur CHK'D: Ganesh Rao B APPR: Gurunandan GA	2024-02-23 2024-02-26 2024-02-26	DOCUMENT NUMBER SD-75784-001			DOC TYPE PSD	DOC PART 001	REVISION D8	
3 PLACES	±									
2 PLACES	± 0.130									
1 PLACE	± 0.25									
0 PLACES	±	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIRD ANGLE PROJECTION	DRAWING C-SIZE	SERIES 75784	MATERIAL NUMBER SEE TABLE	CUSTOMER GENERAL MARKET	SHEET NUMBER 4 OF 12

iPass™ IS A TRADEMARK OF MOLEX

molex

I-PASS VERT CONNECTOR
INTERNAL ASSY W/SHELL 0.8MM PITCH I/O


PRODUCT SALES DRAWING

36 CIRCUIT ITEM NUMBERS

CIRCUIT SIZE	ITEM NUMBER	PLATING OPTION	SHELL PCB OPTION	SHELL KEY OPTION
36	75784-0109	OPTION 1	RETENTION	DUAL
36	75784-0110	OPTION 1	SMT	LEFT
36	75784-0111	OPTION 1	SMT	RIGHT
36	75784-0112	OPTION 1	SMT	DUAL
36	75784-0119	OPTION 2	RETENTION	LEFT
36	75784-0120	OPTION 2	RETENTION	RIGHT
36	75784-0125	OPTION 1	RETENTION	UNIVERSAL
36	75784-0126	OPTION 1	SMT	UNIVERSAL
36	75784-0131	OPTION 1	T/H 1.96	DUAL
36	75784-0132	OPTION 1	T/H 1.96	UNIVERSAL
36	75784-0136	OPTION 2	T/H 1.69	UNIVERSAL

CIRCUIT SIZE	ITEM NUMBER	PLATING OPTION	SHELL PCB OPTION	SHELL KEY OPTION
36	75784-0137	OPTION 1	T/H 2.79	LEFT
36	75784-0138	OPTION 1	T/H 2.79	RIGHT
36	75784-0139	OPTION 1	T/H 2.79	DUAL
36	75784-0140	OPTION 1	T/H 2.79	UNIVERSAL
36	75784-0143	OPTION 2	T/H 2.79	DUAL
36	75784-0144	OPTION 2	T/H 2.79	UNIVERSAL
36	75784-0147	OPTION 1	T/H 3.18	DUAL
36	75784-0148	OPTION 1	T/H 3.18	UNIVERSAL
36	75784-0152	OPTION 2	T/H 3.18	UNIVERSAL
36	75784-0156	OPTION 1	T/H 3.56	UNIVERSAL
36	75784-0159	OPTION 2	T/H 3.56	DUAL
36	75784-0160	OPTION 2	T/H 3.56	UNIVERSAL

iPass™ IS A TRADEMARK OF MOLEX

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																		
DIMENSION UNITS		SCALE		CURRENT REV DESC: 75784-0136 & 75784-0137, Mentioned part numbers have been re-added to the Doc.				molex I-PASS VERT CONNECTOR INTERNAL ASSY W/SHELL 0.8MM PITCH I/O										
mm		1:1																
GENERAL TOLERANCES (UNLESS SPECIFIED)																		
ANGULAR TOL		± 0.5°						PRODUCT SALES DRAWING										
4 PLACES		±										DOCUMENT NUMBER				DOC TYPE	DOC PART	REVISION
3 PLACES		±										SD-75784-001				PSD	001	D8
2 PLACES		± 0.130																
1 PLACE		± 0.25																
0 PLACES		±		STATUS: Production														
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				DRWN: Vishal Ramesh Hosur				2024-02-23										
				CHK'D: Ganesh Rao B				2024-02-26										
				APPR: Gurunandan GA				2024-02-26										
THIRD ANGLE PROJECTION				DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER						
				C-SIZE		75784		SEE TABLE		GENERAL MARKET		5 OF 12						

50 CIRCUIT ITEM NUMBERS

CIRCUIT SIZE	ITEM NUMBER	PLATING OPTION	SHELL PCB OPTION	SHELL KEY OPTION
50	75784-0244	OPTION 2	T/H 2.79	UNIVERSAL

iPass™ IS A TRADEMARK OF MOLEX


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																
DIMENSION UNITS		SCALE		CURRENT REV DESC: 75784-0136 & 75784-0137, Mentioned part numbers have been re-added to the Doc.				molex								
mm		1:1														
GENERAL TOLERANCES (UNLESS SPECIFIED)																
ANGULAR TOL ± 0.5°								I-PASS VERT CONNECTOR INTERNAL ASSY W/SHELL 0.8MM PITCH I/O								
4 PLACES		±														
3 PLACES		±														
2 PLACES		± 0.130						PRODUCT SALES DRAWING				DOCUMENT NUMBER SD-75784-001		DOC TYPE PSD	DOC PART 001	REVISION D8
1 PLACE		± 0.25														
0 PLACES		±														
STATUS: Production				DRWN: Vishal Ramesh Hosur												

molex


I-PASS VERT CONNECTOR
INTERNAL ASSY W/SHELL 0.8MM PITCH I/O

PRODUCT SALES DRAWING

VERTICAL CONNECTOR
WITH RETENTION FIT & THRU-HOLE SHELL
PCB FOOT PRINT



36 CIRCUIT SHOWN




DETAIL Z
SCALE 10:1

	PEG TO PEG	FIRST TO LAST PAD	CENTERLINE TO PAD	CENTERLINE TO PAD	SHELL PEG TO PEG	SHELL FOOTPRINT WIDTH
CIRCUIT SIZE	DIM 'A'	DIM 'B'	DIM 'C'	DIM 'D'	DIM 'E'	DIM 'F'
36	16.00	13.60	6.60	7.00	17.80	19.80
50	21.60	19.20	9.40	9.80	23.40	25.40
68	28.80	26.40	13.00	13.40	30.60	32.60

iPass™ IS A TRADEMARK OF MOLEX

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS	SCALE	CURRENT REV DESC: 75784-0136 & 75784-0137, Mentioned part numbers have been re-added to the Doc.							
mm	5:1								
GENERAL TOLERANCES (UNLESS SPECIFIED)		STATUS: Production DRWN: Vishal Ramesh Hosur CHK'D: Ganesh Rao B APPR: Gurunandan GA 2024-02-23 2024-02-26 2024-02-26							
ANGULAR TOL	± 0.5°								
4 PLACES	±								
3 PLACES	±								
2 PLACES	± 0.130								
1 PLACE	± 0.25	DOCUMENT NUMBER SD-75784-001 DOC TYPE PSD DOC PART 001 REVISION D8							
0 PLACES	±								
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING C-SIZE	SERIES 75784	MATERIAL NUMBER SEE TABLE	CUSTOMER GENERAL MARKET	SHEET NUMBER 8 OF 12			

VERTICAL CONNECTOR
WITH SMT SHELL
PCB FOOT PRINT



	PEG TO PEG	FIRST TO LAST PAD	CENTERLINE TO PAD	CENTERLINE TO PAD	SHELL PEG TO PEG	SHELL FOOTPRINT WIDTH	CENTERLINE TO PAD EDGE
CIRCUIT SIZE	DIM 'A'	DIM 'B'	DIM 'C'	DIM 'D'	DIM 'E'	DIM 'F'	DIM 'G'
36	16.00	13.60	6.60	7.00	17.80	20.80	8.825
50	21.60	19.20	9.40	9.80	23.40	26.40	11.625
68	28.80	26.40	13.00	13.40	30.60	33.60	15.225

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE
mm	5:1
GENERAL TOLERANCES (UNLESS SPECIFIED)	
ANGULAR TOL	± 0.5°
4 PLACES	±
3 PLACES	±
2 PLACES	± 0.130
1 PLACE	± 0.25
0 PLACES	±
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	

CURRENT REV DESC: 75784-0136 & 75784-0137, Mentioned part numbers have been re-added to the Doc.

STATUS: Production
DRWN: Vishal Ramesh Hosur
CHK'D: Ganesh Rao B
APPR: Gurunandan GA

2024-02-23
2024-02-26
2024-02-26

THIRD ANGLE PROJECTION

DRAWING

C-SIZE

SERIES

75784

MATERIAL NUMBER

SEE TABLE

CUSTOMER

GENERAL MARKET

SHEET NUMBER

9 OF 12

DOCUMENT NUMBER

SD-75784-001

DOC TYPE

PSD

DOC PART

001

REVISION

D8


iPass™ IS A TRADEMARK OF MOLEX

molex

I-PASS VERT CONNECTOR
INTERNAL ASSY W/SHELL 0.8MM PITCH I/O

PRODUCT SALES DRAWING

VERTICAL CONNECTOR WITH SHELL
PCB FOOT PRINT DESCRIPTIONS



iPass™ IS A TRADEMARK OF MOLEX

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																
DIMENSION UNITS		SCALE		CURRENT REV DESC: 75784-0136 & 75784-0137, Mentioned part numbers have been re-added to the Doc.			molex I-PASS VERT CONNECTOR INTERNAL ASSY W/SHELL 0.8MM PITCH I/O									
mm		5:1														
GENERAL TOLERANCES (UNLESS SPECIFIED)																
ANGULAR TOL		± 0.5°														
4 PLACES		±														
3 PLACES		±														
2 PLACES		± 0.130														
1 PLACE		± 0.25														
0 PLACES		±		STATUS: Production DRWN: Vishal Ramesh Hosur 2024-02-23 CHK'D: Ganesh Rao B 2024-02-26 APPR: Gurunandan GA 2024-02-26			PRODUCT SALES DRAWING									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION					DRAWING		SERIES		DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	
		C-SIZE		75784		MATERIAL NUMBER		SEE TABLE		CUSTOMER		GENERAL MARKET		SHEET NUMBER		
												SD-75784-001		PSD	001	D8
																10 OF 12

MATING INTERFACE (FOR REFERENCE ONLY)

The figure consists of three main views: a top view, a side view, and a front view.

- Top View:** Shows the overall dimensions of the mating interface. Key dimensions include:
 - DIM 'E' ±0.10
 - DIM 'B'
 - DIM 'D'
 - DIM 'C'
 - 0.80 REF.
 - 0.80
 - 1.20 REF.
 - 45° x 0.50 ±0.10
 - 0.60 ±0.03
 - Ø0.10 (with circular feature symbol)
 - C
 - D
- Side View:** Shows the profile of the mating interface. Key dimensions include:
 - 0.36 REF.
 - 1.00 ±0.10
 - 45° x 0.30 ±0.10
- Front View:** Shows the internal structure of the mating interface. Key dimensions include:
 - 5.60 MIN. NOTE 5
 - 0.55 ±0.10 NOTE 1
 - 1.05 ±0.10 NOTE 2
 - 1.45 ±0.10 NOTE 3
 - 3.05 ±0.10
 - 0.80
 - 0.80 REF.
 - 1.20 REF.
 - DIM 'C'
 - DIM 'D'
 - DIM 'B'
 - 36 CIRCUIT SHOWN
 - 0.080 ±0.015
 - D

NOTES:



- PAD CONFIGURATION FOR FIRST MATE.
- PAD CONFIGURATION FOR SECOND MATE.
- PAD CONFIGURATION FOR THIRD MATE. (HIGH SPEED SIGNALS)
- FOR PIN ASSIGNMENTS AND MATING SEQUENCE (1ST, 2ND, 3RD), SEE APPLICABLE SPECIFICATION.
- MINIMUM STEP REQUIRED IF PCB MADE WIDER THAN TONGUE.


iPass™ IS A TRADEMARK OF MOLEX

CIRCUIT SIZE	TERM/SIDE 'N'	DIM 'B'	DIM 'C'	DIM 'D'	DIM 'E'
36	18	13.60	6.60	7.00	15.60
50	25	19.20	9.40	9.80	21.20
68	34	26.40	13.00	13.40	28.40

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
DIMENSION UNITS	SCALE	CURRENT REV DESC: 75784-0136 & 75784-0137, Mentioned part numbers have been re-added to the Doc.	
mm	1:1		
GENERAL TOLERANCES (UNLESS SPECIFIED)			
ANGULAR TOL	± 0.5°		
4 PLACES	±		
3 PLACES	±		
2 PLACES	± 0.130		
1 PLACE	± 0.25		
0 PLACES	±		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING C-SIZE
		SERIES	75784
		MATERIAL NUMBER	SEE TABLE
		CUSTOMER	GENERAL MARKET
		SHEET NUMBER	11 OF 12

PRODUCT SALES DRAWING			
DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
SD-75784-001	PSD	001	D8



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS mm		SCALE 1:1		CURRENT REV DESC: 75784-0136 & 75784-0137, Mentioned part numbers have been re-added to the Doc.		molex			
GENERAL TOLERANCES (UNLESS SPECIFIED)									
ANGULAR TOL ± 0.5°						I-PASS VERT CONNECTOR INTERNAL ASSY W/SHELL 0.8MM PITCH I/O			
4 PLACES ±									
3 PLACES ±									
2 PLACES ± 0.130		STATUS: Production DRWN: Vishal Ramesh Hosur 2024-02-23 CHK'D: Ganesh Rao B 2024-02-26 APPR: Gurunandan GA 2024-02-26		PRODUCT SALES DRAWING					
1 PLACE ± 0.25				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	
0 PLACES ±				SD-75784-001		PSD	001	D8	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION 	DRAWING C-SIZE	SERIES 75784	MATERIAL NUMBER SEE TABLE		CUSTOMER GENERAL MARKET

