

Product data sheet

Specifications



Telequick mounting plate for PLS box 36x72cm

NSYPMR3672

⚠ Discontinued on: Sep 30, 2023

⚠ Discontinued

Main

Range	Thalassa
Accessory / separate part category	Mounting accessory
Product or component type	Mounting plate
Device application	Multi-purpose
Enclosure nominal dimensions	-
Mounting location	Back inserts
Mounting plate description	Telequick perforated
Range compatibility	Thalassa Thalassa PLS
Device composition	1 mounting plate
Material	Galvanised steel

Complementary

Fixing mode	By screws - screw type M6 - on back inserts location
Permanent permissible load	150 kg
Height	Nominal: 360 mm
Width	Nominal: 720 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.5 cm
Package 1 Width	67.5 cm
Package 1 Length	32.0 cm
Package 1 Weight	2.06 kg

Contractual warranty

Warranty (in months)	18
----------------------	----

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained](#) >

[How we assess product sustainability](#) >

Use Better

Materials and Substances	
EU RoHS Directive	Compliant

Use Longer

Lifetime extension	
Repair	No

Image of product / Alternate images

Alternative

