

Product data sheet

Specifications



ClimaSys Exchanger air-water 1750W sides of enclosure

NSYCEWX1K8UL

 **Discontinued on:** Dec 31, 2021

 **Discontinued**

Main

Range	ClimaSys
Product name	ClimaSys CE
Product or component type	Air-water exchanger
mounting type	Sides of enclosure
Cooling power	1750 W

Complementary

Pressure	5 bar for water
Pressure drop	0.1 bar
Water flow	Internal circuit: 150 l/h
Flow rate	External circuit: 570 m3/h
Control type	Thermostat
Temperature setting range	20...46 °C
Ambient air temperature for operation	1...70 °C outside the enclosure: 20...60 °C inside the enclosure:
Controlled fluid	Water
Fluid connection type	G 1/2 (female)
Input voltage	230 V 50/60 Hz
[In] rated current	0.36 A
Power consumption in W	75 W
Height	External: 901 mm
Width	External: 398 mm
Depth	External : 137 mm
Net weight	18 kg
Noise level	58 dB
Protection type	Thermal protection: T 2 A
Material	Stainless steel
Colour	Grey (RAL 7035)

Environment

IP degree of protection	IP55 conforming to IEC 60529 (on the internal circuit) IP55 conforming to IEC 60529 (on the external circuit)
-------------------------	--

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Product certifications	UL
Standards	DIN 3168

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained](#) >

[How we assess product sustainability](#) >

Use Better



Materials and Substances

EU RoHS Directive

[Compliant](#)

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

WEEE Label



The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins