

# Product data sheet

Specifications



## Spacial SF plain door - 1400x800 mm

NSYSFD148

⚠ Discontinued on: Mar 17, 2025

⚠ Discontinued

### Main

|                                    |                                                                                                                                                        |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| Range                              | PanelSeT                                                                                                                                               |
| Accessory / separate part category | Enclosure accessory                                                                                                                                    |
| Product or component type          | Door                                                                                                                                                   |
| Application                        | Multi-purpose                                                                                                                                          |
| For enclosure nominal dimensions   | -                                                                                                                                                      |
| Mounting location                  | Front<br>Side                                                                                                                                          |
| Range compatibility                | PanelSeT PanelSeT SF                                                                                                                                   |
| Device composition                 | 1 door<br>1 lock with handle and 5 mm double bar insert<br>1 locking bar system 4 points<br>1 reinforcement frame<br>4 hinges<br>4 locking bar catches |
| Quantity per set                   | Set of 1                                                                                                                                               |

### Complementary

|                   |                        |
|-------------------|------------------------|
| Material          | Sheet steel            |
| Colour            | Grey (RAL 7035)        |
| Surface finish    | Epoxy-polyester powder |
| Lock type         | Lock 5 mm double bar   |
| Number of locks   | 1                      |
| Door type         | External plain         |
| Door opening side | Reversible (120 °)     |
| Maximum load      | 60 kg/m²               |
| Height            | Nominal: 1400 mm       |
| Width             | Nominal: 800 mm        |

### Packing Units

|                              |            |
|------------------------------|------------|
| Unit Type of Package 1       | PCE        |
| Number of Units in Package 1 | 1          |
| Package 1 Height             | 5.000 cm   |
| Package 1 Width              | 78.500 cm  |
| Package 1 Length             | 140.000 cm |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                              |            |
|------------------------------|------------|
| Package 1 Weight             | 21.500 kg  |
| Unit Type of Package 2       | P2M        |
| Number of Units in Package 2 | 10         |
| Package 2 Height             | 70.000 cm  |
| Package 2 Width              | 120.000 cm |
| Package 2 Length             | 200.000 cm |
| Package 2 Weight             | 246.500 kg |

## Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

|                                                        |                                               |
|--------------------------------------------------------|-----------------------------------------------|
| Total lifecycle Carbon footprint                       | 149 kg CO2 eq.                                |
| Carbon footprint of the manufacturing phase [A1 to A3] | 91 kg CO2 eq.                                 |
| Carbon footprint of the distribution phase [A4]        | 4 kg CO2 eq.                                  |
| Carbon footprint of the installation phase [A5]        | 5 kg CO2 eq.                                  |
| Carbon footprint of the use phase [B2, B3, B4, B6]     | 0 kg CO2 eq.                                  |
| Carbon footprint of the end-of-life phase [C1 to C4]   | 49 kg CO2 eq.                                 |
| Environmental Disclosure                               | <a href="#">Product Environmental Profile</a> |

## Use Better



### Materials and Substances

|                                        |                                                                                        |
|----------------------------------------|----------------------------------------------------------------------------------------|
| Packaging made with recycled cardboard | No                                                                                     |
| Packaging without single use plastic   | No                                                                                     |
| SCIP Number                            | 52da316e-d4e1-4114-85c0-32a03b2934fd                                                   |
| EU RoHS Directive                      | <a href="#">Compliant By Exemption</a>                                                 |
| REACH Regulation                       | <a href="#">Reference contains Substances of Very High Concern above the threshold</a> |

## Use Longer



### Lifetime extension

|        |    |
|--------|----|
| Repair | No |
|--------|----|

## Use Again



### Repack and remanufacture

|                                 |                                          |
|---------------------------------|------------------------------------------|
| Recyclability potential, in %   | 98                                       |
| End of life manual availability | No need of specific recycling operations |
| Take-back                       | No                                       |