





REVISIONS							
P	LTR	DESCRIPTION			DATE	DWN	APVD
	D10	PART STATUS CHANGE TO DISCONTINUNACE			21JUL2026	NS	PS

	104.7	112.2	—	—	10	4-1546307-7	
	104.7	112.2	—	—	10	4-1546307-6	
	104.7	112.2	—	—	10	4-1546307-5	
	104.7	112.2	—	—	10	3-1546307-3	
	104.7	112.2	—	—	10	1-1546307-0	
	95.2	102.7	—	9	9	5-1546307-0	
	95.2	102.7	4	9	9	4-1546307-9	
	95.2	102.7	4	9	9	4-1546307-8	
	95.2	102.7	—	—	9	1546307-9	
	85.7	93.2	—	—	8	1546307-8	
	76.2	83.7	—	—	7	1546307-7	
	66.7	74.2	—	—	6	4-1546307-4	
	66.7	74.2	—	—	6	1546307-6	
	57.2	64.7	—	—	5	4-1546307-3	
	57.2	64.7	—	—	5	4-1546307-2	
	57.2	64.7	—	—	5	4-1546307-1	
	57.2	64.7	—	—	5	4-1546307-0	
	57.2	64.7	—	—	5	3-1546307-9	
	57.2	64.7	—	—	5	1546307-5	
	47.7	55.2	—	—	4	3-1546307-2	
	47.7	55.2	—	—	4	1546307-4	
	38.2	45.7	—	—	3	3-1546307-8	
	38.2	45.7	—	—	3	3-1546307-7	
	38.2	45.7	—	—	3	3-1546307-6	
	38.2	45.7	—	—	3	3-1546307-5	
	38.2	45.7	—	—	3	3-1546307-4	
	38.2	45.7	—	—	3	1546307-3	
	28.7	36.2	—	—	2	1546307-2	
	DIM B	DIM A	QC TAB .187 45° ②	QC TAB .187 FLAT ①	NO OF POSN	PART NUMBER	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 20AUG2002 S SCHLEGEL		 TE Connectivity Ltd.			
		CHK 8/20/02 C RICHARD					
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME 9.50MM (.374) DBL ROW BARRIER STRIP W/ WASHER			
		0 PLC ± —		PRODUCT SPEC			
		1 PLC ± 0.3		APPLICATION SPEC			
		2 PLC ± 0.25		SIZE CAGE CODE DRAWING NO RESTRICTED TO			
3 PLC ± —		4 PLC ± —		A300779C-1546307			
4 PLC ANGLES ± 2°		FINISH		—			
MATERIAL —				CUSTOMER DRAWING			
				SCALE 1:1		SHEET 1 OF 3	
						REV D10	

PHYSICAL PROPERTIES:
HOUSING MATERIAL: PBT
FLAMMABILITY: UL94V-0
COLOR: BLACK

TERMINAL:
TERMINALS: BRASS, TIN PLATED
SCREWS: 6-32, STEEL, NICKEL PLATED

MECHANICAL:
PITCH (TERMINAL SPACING): 9.50mm (.374")
WIRE RANGE: 12-22 AWG
RECOMMENDED TIGHTENING TORQUE: 12IN-LBS MAX.

ELECTRICAL PROPERTIES:
MAXIMUM CURRENT: 20A
OPERATING VOLTAGE: 300V

ENVIRONMENTAL PROPERTIES:
OPERATING TEMP RANGE: -40°C TO 120°C

-  SCREWS ON ONE SIDE IN WIRE READY POSITION.
-  SEE FIGURE.
-  WHITE INK STAMP.
-  NICKEL PLATED BRASS SCREWS.
-  NOTE DELETED
-  CONNECTIVITY LOGO LOCATED APPROXIMATE AREA SHOWN.
-  OBSOLETE

4

3
















2

1


© - TE Connectivity. All Rights Reserved.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



7	294.7	302.2	-	-	30	3-1546307-0
7	285.2	292.7	-	-	29	2-1546307-9
7	275.7	283.2	-	-	28	2-1546307-8
7	266.2	273.7	-	-	27	2-1546307-7
7	256.7	264.2	-	-	26	2-1546307-6
7	247.2	254.7	-	-	25	2-1546307-5
7	237.7	245.2	-	-	24	2-1546307-4
7	228.2	235.7	-	-	23	2-1546307-3
7	218.7	226.2	-	-	22	2-1546307-2
7	209.2	216.7	-	-	21	2-1546307-1
7 2 1	199.7	207.2	-	-	20	3-1546307-1
7	199.7	207.2	-	-	20	2-1546307-0
7	190.2	197.7	-	-	19	1-1546307-9
7	180.7	188.2	-	-	18	1-1546307-8
7	171.2	178.7	-	-	17	1-1546307-7
7	161.7	169.2	-	-	16	1-1546307-6
7	152.2	159.7	-	-	15	1-1546307-5
7	142.7	150.2	-	-	14	1-1546307-4
7	133.2	140.7	-	-	13	1-1546307-3
7	123.7	131.2	-	-	12	1-1546307-2
7	114.2	121.7	-	-	11	1-1546307-1
DIM B		DIM A	QC TAB .187 45° ②	QC TAB .187 FLAT ①	NO OF POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S SCHLEGEL 20AUG2002	 TE Connectivity Ltd.			
		CHK C RICHARD 8/20/02				
DIMENSIONS: mm		APVD C RICHARD 8/20/02	NAME 9.50MM (.374) DBL ROW BARRIER STRIP W/ WASHER			
		PRODUCT SPEC	SIZE A3			
		APPLICATION SPEC	CAGE CODE 00779			
MATERIAL -		WEIGHT -	DRAWING NO C-1546307		RESTRICTED TO -	
CUSTOMER DRAWING			SCALE 1:1		SHEET 2 OF 3	
					REV D10	

4






3

2

1

REVISIONS



P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-





4-1546307-2

4-1546307-3



4-1546307-7



4-1546307-6





4-1546307-0




4-1546307-8


4-1546307-1



4-1546307-9



5-1546307-0




MARK BOTH SIDES

MARK BOTH SIDES

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:



MATERIAL

FINISH

DWN 20AUG2002

S SCHLEGEL

CHK 8/20/02

C RICHARD

APVD 8/20/02

C RICHARD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING



TE Connectivity Ltd.

NAME
9.50MM (.374) DBL ROW BARRIER STRIP
W/ WASHER

SIZE CAGE CODE DRAWING NO RESTRICTED TO

A3 00779 C-1546307

SCALE 1:1

SHEET 3 OF 3

REV D10