





36.6	34.85	31.2	29	52610-3075	30
34.6	32.85	29.2	27	-2875	28
32.6	30.85	27.2	25	-2675	26
31.6	29.85	26.2	24	-2575	25
30.6	28.85	25.2	23	-2475	24
28.6	26.85	23.2	21	-2275	22
26.6	24.85	21.2	19	-2075	20
25.6	23.85	20.2	18	-1975	19
23.6	21.85	18.2	16	-1775	17
22.6	20.85	17.2	15	-1675	16
20.6	18.85	15.2	13	-1475	14
18.6	16.85	13.2	11	-1275	12
17.6	15.85	12.2	10	-1175	11
16.6	14.85	11.2	9	-1075	10
15.6	13.85	10.2	8	-0975	9
14.6	12.85	9.2	7	-0875	8
13.6	11.85	8.2	6	-0775	7
12.6	10.85	7.2	5	52610-0675	6
D	(C)	B	(A)	MATERIAL. NO.	CKT.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

mm

NTS

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL ± 3.0°

4 PLACES ±

3 PLACES ±

2 PLACES ±

1 PLACE ±

0 PLACES ±

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

GENERAL TOLERANCES (UNLESS SPECIFIED)

10 UNDER	±0.2
10 OVER 30 UNDER	±0.25
30 OVER	±0.3

CURRENT REV DESC:

EC NO: 758488
DRWN: RAJMOK
CHK'D: HSHIMOYAMA
APPR: YNAITO

INITIAL REVISION:
DRWN: HSHIMABUKURO
APPR: MSASAO

2023/07/27
2023/08/03
2023/08/03

2004/03/30
2004/04/01

THIRD ANGLE PROJECTION

DRAWING

SERIES

MATERIAL NUMBER

CUSTOMER

SHEET NUMBER

1.0 FPC CONN ZIF FOR SMT (ST) WITH TAPE -LEAD FREE-

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

DOC TYPE

DOC PART

REVISION

SD-52610-034

PSD

001

E

SEE TABLE

GENERAL MARKET

1 OF 2

DOCUMENT STATUS

P1

RELEASE DATE

2023/08/03

11:20:31



5. 本製品は 52610-**-57 の鉛フリー品である。
THIS PRODUCT IS LEAD FREE OF 52610-**-57

4. 偶数極に適用。
APPLY FOR EVEN CIRCUIT.

3. ソルダータール半田付け面のズレ量は、基準面 [F] に対し上方向 0.05 MAX.、
下方向 0.15 MAX. とする。
MISALIGNMENT OF SOLDER TAILS FROM [F] UPPER DIRECTION : 0.05 MAX.,
LOWER DIRECTION : 0.15 MAX.


2. エンボステープ梱包時は、アクチュエータがロックした状態とする。
IN THE PACKAGE , ACTUATOR OF PART NO. 52610-**-59 SHOULD BE LOCKED.

1. 材料(MATERIAL)
ハウジング (HOUSING) : 46NYLON , UL94V-0
アクチュエータ(ACTUATOR) : PPS , UL94V-0
ターミナル(TERMINAL) : リン青銅、ニッケル下地、**錫-ビスマスメッキ** (t0.32)
PHOS-BRO. **TIN-BISMUTH** OVER NICKEL PLATED ①




FPC構成推奨仕様


RECOMMENDED STRUCTURE OF FPC



FFC構成推奨仕様

RECOMMENDED STRUCTURE OF FFC






	24	29.4	25.4	15.25	11.32	526 10-1075	10
				14.25	10.32	526 10-0975	9
				13.25	9.32	526 10-0875	8
				12.25	8.32	526 10-0775	7
				11.25	7.32	526 10-0675	6
526 10-**75	キャリアテープ幅 CARRIER TAPE WIDTH	D	C	(B)	(A)	MATERIAL. NO.	極数 CKT.
MODEL. NO.							

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		molex			
DIMENSION UNITS		SCALE		1.0 FPC CONN SMT ZIF WITH TAPE EMBSTP PKG -LEAD FREE-			
mm		NTS		PRODUCT CUSTOMER DRAWING			
GENERAL TOLERANCES (UNLESS SPECIFIED)		ANGULAR TOL		DOCUMENT NUMBER			
10 ^{UNDER}		±0.2		SD-52610-035			
10 ^{OVER} 30 ^{UNDER}		±0.25		PSD 001 C			
30 ^{OVER}		±0.3		MATERIAL NUMBER			
ANGULAR		±3 °		SEE TABLE			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		CUSTOMER			
				GENERAL MARKET			
				SHEET NUMBER			
				2 OF 5			

DOCUMENT STATUS	P1	RELEASE DATE	2022/09/05	05:51:53
-----------------	----	--------------	------------	----------



GENERAL TOLERANCES (UNLESS SPECIFIED)	
10 ^{UNDER}	±0.2
10 ^{OVER} 30 ^{UNDER}	±0.25
30 ^{OVER}	±0.3
ANGULAR	±3 °

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
DIMENSION UNITS	SCALE
mm	NTS
GENERAL TOLERANCES (UNLESS SPECIFIED)	
ANGULAR TOL	± °
4 PLACES	±
3 PLACES	±
2 PLACES	±
1 PLACE	±
0 PLACES	±
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	
THIRD ANGLE PROJECTION	
DRAWING	
SERIES	
MATERIAL NUMBER	
CUSTOMER	
SHEET NUMBER	




EC NO: 719890	2022/08/26
DRWN: NARENC	2022/09/05
CHK'D: SMARUYAMA	2022/09/05
APPR: YNAITO	2022/09/05
INITIAL REVISION:	
DRWN: HSHIMABUKURO	2004/03/30
APPR: MSASAO	2004/04/01

DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
SD-52610-035	PSD	001	C

SEE TABLE	GENERAL MARKET	3 OF 5
-----------	----------------	--------

526 10-**-75
MODEL NO.

32	37.4	33.4	19.25	15.32	52610-1475	14
			17.25	13.32	52610-1275	12
			16.25	12.32	52610-1175	11
キャリアテープ幅 CARRIER TAPE WIDTH	D	C	(B)	(A)	MATERIAL. NO.	極数 CKT.



526 10-**75
MODEL. NO.

44	49.4	45.4	31.25	27.32	526 10-2675	26
			30.25	26.32	526 10-2575	25
			29.25	25.32	526 10-2475	24
			27.25	23.32	526 10-2275	22
			25.25	21.32	526 10-2075	20
			24.25	20.32	526 10-1975	19
			22.25	18.32	52610-1775	17
			21.25	17.32	526 10-1675	16
キャリアテープ幅 CARRIER TAPE WIDTH	D	C	(B)	(A)	MATERIAL. NO.	極数 CKT.


GENERAL TOLERANCES (UNLESS SPECIFIED)	
10 ^{UNDER}	±0.2
10 ^{OVER} 30 ^{UNDER}	±0.25
30 ^{OVER}	±0.3
ANGULAR	±3 °

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		molex			
DIMENSION UNITS	SCALE			1.0 FPC CONN SMT ZIF WITH TAPE EMBSTP PKG -LEAD FREE-			
mm	NTS			PRODUCT CUSTOMER DRAWING			
GENERAL TOLERANCES (UNLESS SPECIFIED)							
ANGULAR TOL	± °						
4 PLACES	±						
3 PLACES	±						
2 PLACES	±						
1 PLACE	±						
0 PLACES	±						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
		⊕	A3-SIZE	52610	SEE TABLE	GENERAL MARKET	4 OF 5


EC NO: 719890
DRWN: NARENC 2022/08/26
CHK'D: SMARUYAMA 2022/09/05
APPR: YNAITO 2022/09/05

INITIAL REVISION:
DRWN: HSHIMABUKURO 2004/03/30
APPR: MSASAO 2004/04/01

DOCUMENT NUMBER
SD-52610-035
DOC TYPE
PSD
DOC PART
001
REVISION
C



	56	61.4	57.4	35.25	31.32	52610-3075	30
52610-**-75				33.25	29.32	52610-2875	28
MODEL. NO.	CARRIER TAPE WIDTH	D	C	(B)	(A)	MATERIAL. NO.	極数 CKT.

GENERAL TOLERANCES (UNLESS SPECIFIED)		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
		CURRENT REV DESC:	
10 ^{UNDER}		±0.2	mm NTS GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± ° 4 PLACES ± 3 PLACES ± 2 PLACES ± 1 PLACE ± 0 PLACES ± EC NO: 719890 DRWN: NARENC 2022/08/26 CHK'D: SMARUYAMA 2022/09/05 APPR: YNAITO 2022/09/05
10 ^{OVER} 30 ^{UNDER}		±0.25	
30 ^{OVER}		±0.3	
ANGULAR		±3 °	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION 	
		DRAWING A3-SIZE	SERIES 52610
		MATERIAL NUMBER SEE TABLE	
		CUSTOMER GENERAL MARKET	
		SHEET NUMBER 5 OF 5	