







DETAIL A
SCALE 10:1






EON SHOWN
(2X10 SHOWN)




SOLDERTAIL SHOWN
(2X10 SHOWN)

NOTES UNLESS OTHERWISE SPECIFIED


- GENERAL:
 - PARTS MUST BE IN COMPLIANCE TO MOLEX CHEMICAL SUBSTANCES FOR PRODUCTS AND PACKAGING SPECIFICATION: 2014040016
 - DATA MUST BE SUBMITTED UNDER THE MOLEX PART NUMBER TO IMDS (COMPANY ID#13255)
 - 1.5 PCB PRESS-FIT (COMPLIANT PIN) PER SD-31503-012 REV A
 - PCB INTENDED TO BE FR4 0.062" (1.6mm) THICK
- DESIGN - MATERIALS:
 - HOUSING: PBT 30%GF.
 - TERMINAL:
 - SOLDER VERSION: COPPER ALLOY.
 - COMPLIANT VERSION: COPPER ALLOY.
- DESIGN - GEOMETRY:
 - THIS IS A 100% CAD GENERATED PART. THE CAD MATHEMATICAL DATA IS THE MASTER FOR THIS PART. FOR DIMENSIONAL OR ANY INFORMATION NOT SHOWN ON THIS DRAWING, ANALYZE THE CAD MODEL.
 - PRODUCT DESIGN MODEL NUMBER(S): SEE BOM TABLE
 - GEOMETRIC DIMENSIONS AND TOLERANCES PER ASME Y14.5M - 1994
 - EDGES AND UNDIMENSIONED DETAILS PER ISO13715
 - CORNERS SHOWN AS SHARP TO BE R 0.2 MAX.
 - LETTERING SHALL BE 0.15 MAX RAISED. THIS INCLUDES RECYCLING CODE, CAVITY ID, MANUFACTURING LOCATION, AND MOLEX MATERIAL NUMBER.
- TRUE POSITIONS OF THE EONS AND SOLDERTAIL TO BE VERIFIED WITH A FUNCTIONAL GO/NO GO GAUGE.
- ALL DIMENSIONS APPLY TO THE PART AS SHIPPED FROM MOLEX. FINAL POSITIONING IS ACHEIVED WITH PCB APPLICATION TOOLING. REFERENCE AS-34829-001.
- LASER MARKING TO BE MARKED WITH:
 - HUMAN READABLE CODE (HRC)
 - PERMANENTLY APPLIED ON THE PART WITH 1.5mm LETTER SIZE
 - INFORMATION TO BE PRINTED
 - 9 DIGIT MOLEX MATERIAL NUMBER
 - 5 DIGIT JULIAN MANUFACTURING DATE STAMP DDDYY
- TRUE POSITION OF THE MATE SIDE CONNECTOR TO BE VERIFIED WITH A GO/NO-GO FUNCTIONAL GAGE
- ALL DIMENSION WITH OUT BALLOONS ARE NOT MEASURED. SURROGATE DATA FROM THE COMPONENT PRINT WILL BE USED TO MEET DIMENSIONAL REQUIREMENTS.
- EON (COMPLIANT PIN) DESIGN REQUIRES AN ASSEMBLY FIXTURE FOR INSTALLATION.



LASER MARKING TO BE SHOWN
IN THIS LOCATION
SEE NOTE 6










EON DESIGN



SOLDERTAIL DESIGN


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE	CURRENT REV DESC: ADDED 2 COLOR CODES AND 4 PNs WITH GOLD PLATING AT CONTACT AREA FOR 2*4 HEADER				molex				
mm		2:1									
GENERAL TOLERANCES (UNLESS SPECIFIED)											
ANGULAR TOL			±	3°	MX150 DUAL ROW R/A HEADER ASSEMBLY						
4 PLACES		±	0								
3 PLACES		±	0								
2 PLACES		±	0.13	PRODUCT SALES DRAWING							
1 PLACE		±	0.25								
0 PLACES		±	0								
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIRD ANGLE PROJECTION		DRAWING	SERIES	DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
					D-SIZE	34829	SD-34829-001		PSD	001	A5
							SEE SHEET 2		GENERAL MARKET		SHEET NUMBER
										1 OF 3	




MATERIAL NUMBER			DESCRIPTION	KEY CODING	COLOR	DIMENSION											STATUS							
EON	SOLDERTAIL	A5 CONTACT AREA PLATING TYPE				A	B	C	D	E	F	G	H	J	K	L	EON	SOLDERTAIL						
348290401	348300401	Sn	2x2 WAY HEADER	A	BLACK	60°	60°	10.75	10.75	1.73	1.73	4.53	13.24	36.83	13.54	17.50	OBSOLETE	DESIGN CONCEPT						
348290402	348300402			B	LT GRAY	40°	60°	11.16	10.75	0.57	1.73													
348290403	348300403			C	DK GRAY	60°	40°	10.75	11.16	1.73	0.57													
348290404	348300404			D	BLACK	40°	40°	11.16	11.16	0.57	0.57													
348290601	348300601	Sn	2x3 WAY HEADER	A	BLACK	60°	60°	12.27	12.27	0.86	0.86	8.03	16.74	40.33	17.04	21.00	OBSOLETE	DESIGN CONCEPT						
348290602	348300602			B	LT GRAY	25°	60°	11.93	12.27	1.94	0.86													
348290603	348300603			C	DK GRAY	60°	25°	12.27	11.93	0.86	1.94													
348290604	348300604			D	BLACK	25°	25°	11.93	11.93	1.94	1.94													
348290801	348300801	Sn	2x4 WAY HEADER	A	BLACK	60°	60°	13.78	13.78	0.02	0.02	11.53	20.24	43.83	20.54	24.50	OBSOLETE	SALEABLE						
348290802	348300802			B	LT GRAY	25°	60°	12.67	13.78	3.53	0.02							NOT RECOMMENDED SEE 348300805						
348290803	348300803			C	DK GRAY	60°	25°	13.78	12.67	0.02	3.53							SALEABLE						
348290804	348300804			D	BLACK	25°	25°	12.67	12.67	3.53	3.53													
-	348300805	Au		B	LT GRAY-1	25°	60°	12.67	13.78	3.53	0.02													
-	348300806			D	STONE GRAY	25°	25°	12.67	12.67	3.53	3.53													
-	348300851			A	BLACK	60°	60°	13.78	13.78	0.02	0.02													
-	348300852			B	LT GRAY-1	25°	60°	12.67	13.78	3.53	0.02													
-	348300853			C	DK GRAY	60°	25°	13.78	12.67	0.02	3.53													
-	348300854			D	STONE GRAY	25°	25°	12.67	12.67	3.53	3.53													
348291201	348301201	Sn		2x6 WAY HEADER	A	BLACK	60°	60°	16.81	16.81	1.77						1.77	18.53	27.24	50.83	27.54	31.50	OBSOLETE	DESIGN CONCEPT
348291202	348301202				B	LT GRAY	25°	60°	14.14	16.81	6.70						1.77							
348291203	348301203		C		DK GRAY	60°	25°	16.81	14.14	1.77	6.70													
348291204	348301204		D		BLACK	25°	25°	14.14	14.14	6.70	6.70													
348291601	348301601	Sn	2x8 WAY HEADER	A	BLACK	60°	60°	19.85	19.85	3.52	3.52	25.53	34.24	57.83	34.54	38.50	OBSOLETE	DESIGN CONCEPT						
348291602	348301602			B	LT GRAY	25°	60°	15.62	19.85	9.87	3.52													
348291603	348301603			C	DK GRAY	60°	25°	19.85	15.62	3.52	9.87													
348291604	348301604			D	BLACK	25°	25°	15.62	15.62	9.87	9.87													
348292001	348302001	Sn	2x10 WAY HEADER	A	BLACK	60°	60°	22.88	22.88	5.27	5.27	32.53	41.24	64.83	41.54	45.50	OBSOLETE	SALEABLE						
348292002	348302002			B	LT GRAY	25°	60°	17.10	22.88	13.05	5.27													
348292003	348302003			C	DK GRAY	60°	25°	22.88	17.10	5.27	13.05													
348292004	348302004			D	BLACK	25°	25°	17.10	17.10	13.05	13.05													
-	348302006			B	NATURAL	25°	60°	17.10	22.88	13.05	5.27						-	SALEABLE						
-	348302007			D	LT GARY	25°	25°	17.10	17.10	13.05	13.05													

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
DIMENSION UNITS		SCALE		CURRENT REV DESC: ADDED 2 COLOR CODES AND 4 PINS WITH GOLD PLATING AT CONTACT AREA FOR 2*4 HEADER				molex MX150 DUAL ROW R/A HEADER ASSEMBLY						
mm		2:1												
GENERAL TOLERANCES (UNLESS SPECIFIED)														
ANGULAR TOL ± 3°														
4 PLACES		± 0						DRWN: Yu Chao Fu 22-Nov-2022						
3 PLACES		± 0		CHK'D: Elvis Song 06-Dec-2022				PRODUCT SALES DRAWING						
2 PLACES		± 0.13		APPR: Colin Zhang 16-Dec-2022										
1 PLACE		± 0.25		INITIAL REVISION: DRWN: RFC_PLMIMP										
0 PLACES		± 0		APPR:				DOCUMENT NUMBER		DOC TYPE		DOC PART	REVISION	
								SD-34829-001		PSD		001	A5	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
						D-SIZE		34829		SEE TABLE		GENERAL MARKET		2 OF 3


(FOR REFERENCE ONLY)




PCB LAYOUT FOR EON
TOWARD HARNESS CONNECTOR



DESCRIPTION	DIMENSIONS		
	R	S	T
2X2 HEADER	17.50	26.82	8.61
2X3 HEADER	21.00	30.32	10.36
2X4 HEADER	24.50	33.82	12.11
2X5 HEADER	31.50	40.82	15.61
2X6 HEADER	38.50	47.82	19.11
2X10 HEADER	45.50	54.82	22.61



PCB LAYOUT FOR SOLDERTAIL
TOWARD HARNESS CONNECTOR



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: ADDED 2 COLOR CODES AND 4 PNs WITH GOLD PLATING AT CONTACT AREA FOR 2*4 HEADER			molex MX150 DUAL ROW R/A HEADER ASSEMBLY								
mm		5:1													
GENERAL TOLERANCES (UNLESS SPECIFIED)															
ANGULAR TOL ± 3 °															
4 PLACES		± 0		DRWN: Yu Chao Fu			22-Nov-2022			PRODUCT SALES DRAWING					
3 PLACES		± 0		CHK'D: Elvis Song			06-Dec-2022								
2 PLACES		± 0.13		APPR: Colin Zhang			16-Dec-2022								
1 PLACE		± 0.25		INITIAL REVISION: DRWN: RFC_PLMIMP			DOCUMENT NUMBER								
0 PLACES		± 0		APPR:			SD-34829-001			DOC TYPE		DOC PART	REVISION		
PSD		001		A5											
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						D-SIZE		34829		SEE SHEET 2		GENERAL MARKET		3 OF 3	