









TOP VIEW
LATCH OPENING POSITION




ISO VIEW
LATCH CLOSED POSITION



ISO VIEW
LATCH OPENED POSITION

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
DIMENSION UNITS		SCALE		CURRENT REV DESC: ADD OPTION 78726-0081			molex DDR4 DIMM, 0.85MM PITCH 288CKTS, VERTICAL TH PRODUCT CUSTOMER DRAWING DOCUMENT NUMBER SD-78726-002 DOC TYPE PSD DOC PART 000 REVISION A8 MATERIAL NUMBER SEE TABLE CUSTOMER GENERAL MARKET SHEET NUMBER 2 OF 6					
mm		NTS										
GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 744124			DRWN: LIMONL					2022/11/16		
		ANGULAR TOL ± 3.0 °			CHK'D: EKSOH					2023/04/10		
		4 PLACES ±			APPR: CCTEH					2023/04/20		
		3 PLACES ±			INITIAL REVISION:							
2 PLACES ± 0.2		DRWN: EFLEE			2012/03/08							
1 PLACE ±		APPR: EKSOH			2012/05/09							
0 PLACES ±		THIRD ANGLE PROJECTION			DRAWING		SERIES					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				A3-SIZE		78726						



9		8		7		6		5		4		3		2		1																																																																																																																																																																			
<table><tr><th rowspan="2">CKT SIZE</th><th rowspan="2">ASSEMBLY PART NO.</th><th rowspan="2">HOUSING COLOR</th><th rowspan="2">LATCH COLOR</th><th rowspan="2">DIM "P"</th><th rowspan="2">RECOMMENDED PCB THICKNESS</th><th colspan="2">PLATING OPTION</th><th rowspan="2">PRODUCT SPEC. NO.</th><th rowspan="2">PACKAGING SPEC. NO.</th></tr><tr><th>TERMINAL</th><th>FORKLOCK</th></tr><tr><td rowspan="40">288</td><td>78726-1051</td><td rowspan="5">BLACK</td><td rowspan="5">BLACK</td><td>2.10</td><td>1.57</td><td rowspan="40">0.76 MICROMETER (30 MICROINCH) MIN GOLD ON CONTACT</td><td rowspan="40">1 MICROMETER (40 MICROINCH) MIN TIN OVERALL (PRE-PLATED)</td><td rowspan="40">PS-78726-001</td><td rowspan="35">PK-78726-001</td></tr><tr><td>78726-1039</td><td>2.40</td><td>1.57</td></tr><tr><td>78726-1002</td><td>2.67</td><td>1.57</td></tr><tr><td>78726-1003</td><td>3.18</td><td>2.36</td></tr><tr><td>78726-1026</td><td>3.50</td><td>3.00</td></tr><tr><td>78726-1052</td><td rowspan="5">BLACK</td><td rowspan="5">WHITE</td><td>2.10</td><td>1.57</td></tr><tr><td>78726-1040</td><td>2.40</td><td>1.57</td></tr><tr><td>78726-1004</td><td>2.67</td><td>1.57</td></tr><tr><td>78726-1005</td><td>3.18</td><td>2.36</td></tr><tr><td>78726-1027</td><td>3.50</td><td>3.00</td></tr><tr><td>78726-1053</td><td rowspan="5">WHITE</td><td rowspan="5">BLACK</td><td>2.10</td><td>1.57</td></tr><tr><td>78726-1041</td><td>2.40</td><td>1.57</td></tr><tr><td>78726-1006</td><td>2.67</td><td>1.57</td></tr><tr><td>78726-1007</td><td>3.18</td><td>2.36</td></tr><tr><td>78726-1028</td><td>3.50</td><td>3.00</td></tr><tr><td>78726-1054</td><td rowspan="5">WHITE</td><td rowspan="5">WHITE</td><td>2.10</td><td>1.57</td></tr><tr><td>78726-1042</td><td>2.40</td><td>1.57</td></tr><tr><td>78726-1008</td><td>2.67</td><td>1.57</td></tr><tr><td>78726-1009</td><td>3.18</td><td>2.36</td></tr><tr><td>78726-1029</td><td>3.50</td><td>3.00</td></tr><tr><td>78726-1055</td><td rowspan="5">BLUE</td><td rowspan="5">BLUE</td><td>2.10</td><td>1.57</td></tr><tr><td>78726-1043</td><td>2.40</td><td>1.57</td></tr><tr><td>78726-1010</td><td>2.67</td><td>1.57</td></tr><tr><td>78726-1011</td><td>3.18</td><td>2.36</td></tr><tr><td>78726-1030</td><td>3.50</td><td>3.00</td></tr><tr><td>78726-1056</td><td rowspan="5">BLUE</td><td rowspan="5">WHITE</td><td>2.10</td><td>1.57</td></tr><tr><td>78726-1044</td><td>2.40</td><td>1.57</td></tr><tr><td>78726-1022</td><td>2.67</td><td>1.57</td></tr><tr><td>78726-1023</td><td>3.18</td><td>2.36</td></tr><tr><td>78726-1031</td><td>3.50</td><td>3.00</td></tr><tr><td>78726-1063</td><td rowspan="5">YELLOW</td><td rowspan="5">WHITE</td><td>2.10</td><td>1.57</td></tr><tr><td>78726-1064</td><td>2.40</td><td>1.57</td></tr><tr><td>78726-1065</td><td>2.67</td><td>1.57</td></tr><tr><td>78726-1066</td><td>3.18</td><td>2.36</td></tr><tr><td>78726-1067</td><td>3.50</td><td>3.00</td></tr><tr><td>78726-0081</td><td rowspan="5">BLACK</td><td>BLACK</td><td>3.18</td><td>2.36</td><td rowspan="5">1.27 MICROMETER (50 MICROINCH) MIN NICKEL UNDERPLATE</td><td rowspan="5"></td><td rowspan="5"></td><td rowspan="3">787260003</td></tr><tr><td>78726-3005</td><td>WHITE</td><td>3.18</td><td>2.36</td></tr><tr><td>78726-3052</td><td></td><td>2.10</td><td>1.57</td></tr><tr><td>78726-4039</td><td>BLACK</td><td>2.40</td><td>1.57</td><td rowspan="2">2042450002</td></tr><tr><td>78726-4040</td><td>WHITE</td><td>2.40</td><td>1.57</td></tr></table>																		CKT SIZE	ASSEMBLY PART NO.	HOUSING COLOR	LATCH COLOR	DIM "P"	RECOMMENDED PCB THICKNESS	PLATING OPTION		PRODUCT SPEC. NO.	PACKAGING SPEC. NO.	TERMINAL	FORKLOCK	288	78726-1051	BLACK	BLACK	2.10	1.57	0.76 MICROMETER (30 MICROINCH) MIN GOLD ON CONTACT	1 MICROMETER (40 MICROINCH) MIN TIN OVERALL (PRE-PLATED)	PS-78726-001	PK-78726-001	78726-1039	2.40	1.57	78726-1002	2.67	1.57	78726-1003	3.18	2.36	78726-1026	3.50	3.00	78726-1052	BLACK	WHITE	2.10	1.57	78726-1040	2.40	1.57	78726-1004	2.67	1.57	78726-1005	3.18	2.36	78726-1027	3.50	3.00	78726-1053	WHITE	BLACK	2.10	1.57	78726-1041	2.40	1.57	78726-1006	2.67	1.57	78726-1007	3.18	2.36	78726-1028	3.50	3.00	78726-1054	WHITE	WHITE	2.10	1.57	78726-1042	2.40	1.57	78726-1008	2.67	1.57	78726-1009	3.18	2.36	78726-1029	3.50	3.00	78726-1055	BLUE	BLUE	2.10	1.57	78726-1043	2.40	1.57	78726-1010	2.67	1.57	78726-1011	3.18	2.36	78726-1030	3.50	3.00	78726-1056	BLUE	WHITE	2.10	1.57	78726-1044	2.40	1.57	78726-1022	2.67	1.57	78726-1023	3.18	2.36	78726-1031	3.50	3.00	78726-1063	YELLOW	WHITE	2.10	1.57	78726-1064	2.40	1.57	78726-1065	2.67	1.57	78726-1066	3.18	2.36	78726-1067	3.50	3.00	78726-0081	BLACK	BLACK	3.18	2.36	1.27 MICROMETER (50 MICROINCH) MIN NICKEL UNDERPLATE			787260003	78726-3005	WHITE	3.18	2.36	78726-3052		2.10	1.57	78726-4039	BLACK	2.40	1.57	2042450002	78726-4040	WHITE	2.40	1.57
CKT SIZE	ASSEMBLY PART NO.	HOUSING COLOR	LATCH COLOR	DIM "P"	RECOMMENDED PCB THICKNESS	PLATING OPTION		PRODUCT SPEC. NO.	PACKAGING SPEC. NO.																																																																																																																																																																										
						TERMINAL	FORKLOCK																																																																																																																																																																												
288	78726-1051	BLACK	BLACK	2.10	1.57	0.76 MICROMETER (30 MICROINCH) MIN GOLD ON CONTACT	1 MICROMETER (40 MICROINCH) MIN TIN OVERALL (PRE-PLATED)	PS-78726-001	PK-78726-001																																																																																																																																																																										
	78726-1039			2.40	1.57																																																																																																																																																																														
	78726-1002			2.67	1.57																																																																																																																																																																														
	78726-1003			3.18	2.36																																																																																																																																																																														
	78726-1026			3.50	3.00																																																																																																																																																																														
	78726-1052	BLACK	WHITE	2.10	1.57																																																																																																																																																																														
	78726-1040			2.40	1.57																																																																																																																																																																														
	78726-1004			2.67	1.57																																																																																																																																																																														
	78726-1005			3.18	2.36																																																																																																																																																																														
	78726-1027			3.50	3.00																																																																																																																																																																														
	78726-1053	WHITE	BLACK	2.10	1.57																																																																																																																																																																														
	78726-1041			2.40	1.57																																																																																																																																																																														
	78726-1006			2.67	1.57																																																																																																																																																																														
	78726-1007			3.18	2.36																																																																																																																																																																														
	78726-1028			3.50	3.00																																																																																																																																																																														
	78726-1054	WHITE	WHITE	2.10	1.57																																																																																																																																																																														
	78726-1042			2.40	1.57																																																																																																																																																																														
	78726-1008			2.67	1.57																																																																																																																																																																														
	78726-1009			3.18	2.36																																																																																																																																																																														
	78726-1029			3.50	3.00																																																																																																																																																																														
	78726-1055	BLUE	BLUE	2.10	1.57																																																																																																																																																																														
	78726-1043			2.40	1.57																																																																																																																																																																														
	78726-1010			2.67	1.57																																																																																																																																																																														
	78726-1011			3.18	2.36																																																																																																																																																																														
	78726-1030			3.50	3.00																																																																																																																																																																														
	78726-1056	BLUE	WHITE	2.10	1.57																																																																																																																																																																														
	78726-1044			2.40	1.57																																																																																																																																																																														
	78726-1022			2.67	1.57																																																																																																																																																																														
	78726-1023			3.18	2.36																																																																																																																																																																														
	78726-1031			3.50	3.00																																																																																																																																																																														
	78726-1063	YELLOW	WHITE	2.10	1.57																																																																																																																																																																														
	78726-1064			2.40	1.57																																																																																																																																																																														
	78726-1065			2.67	1.57																																																																																																																																																																														
	78726-1066			3.18	2.36																																																																																																																																																																														
	78726-1067			3.50	3.00																																																																																																																																																																														
	78726-0081	BLACK	BLACK	3.18	2.36				1.27 MICROMETER (50 MICROINCH) MIN NICKEL UNDERPLATE			787260003																																																																																																																																																																							
	78726-3005		WHITE	3.18	2.36																																																																																																																																																																														
	78726-3052			2.10	1.57																																																																																																																																																																														
	78726-4039		BLACK	2.40	1.57							2042450002																																																																																																																																																																							
	78726-4040		WHITE	2.40	1.57																																																																																																																																																																														

																			---	--	---------	--	---	--	---------	--	--------------------------	--	---	--	----------------	--	--------------	--	--	--		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																			DIMENSION UNITS		SCALE		CURRENT REV DESC: ADD OPTION 78726-0081						molex									mm		NTS																	GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 744124 DRWN: LIMONL 2022/11/16 CHK'D: EKSOH 2023/04/10 APPR: CCTEH 2023/04/20						DDR4 DIMM, 0.85MM PITCH 288CKTS, VERTICAL TH									ANGULAR TOL		± 3.0 °																	4 PLACES		±																	3 PLACES		±																	2 PLACES		± 0.2																	1 PLACE				INITIAL REVISION: DRWN: EFLEE 2012/03/08 APPR: EKSOH 2012/05/09				PRODUCT CUSTOMER DRAWING											0 PLACES																			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER											A3-SIZE		78726		SEE TABLE		GENERAL MARKET		5 OF 6																							9		8		7		6		5		4		3		2		1	
DOCUMENT STATUS		P1	RELEASE DATE		2023/04/20	09:01:41																																																																																																																																																																																																																																																																																																							
9		8		7		6		5		4		3		2		1																																																																																																																																																																																																																																																																																													

[illegible]