

4



3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION NOV ,2004.
© COPYRIGHT 2004 By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN APVD
J			R2	REVISED PER ECO-11-005033	26MAR11	RK HMR



	AVAILABLE	POROSITY SEALING	1.8V (DDR2)	17.55	2.4	2.7	200	1827236-6
	AVAILABLE	CUT OUT OF POROSITY SEALING	1.8V (DDR2)	17.55	2.4	2.7	200	3-1827236-4
	AVAILABLE	CUT OUT OF HOUSING TAIL	1.8V (DDR2)	17.55	2.4	2.7	200	2-1827236-4
	AVAILABLE	BOSSLESS	1.8V (DDR2)	17.55	2.4	2.7	200	1-1827236-4
	AVAILABLE	——H——	1.8V (DDR2)	17.55	2.4	2.7	200	1827236-4
——H——	NOT AVAILABLE	——H——	2.5V (DDR1)	18.45	1.5	1.8	200	—
FINISH	TOOLING STATUS	REMARK	POWER SUPPLY	D5	D4	D3	POS	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: MM	TOLERANCES UNLESS OTHERWISE SPECIFIED:
	0 PLC ±
	1 PLC ±
	2 PLC ±
	3 PLC ±
	4 PLC ±
MATERIAL	ANGLES ±
	FINISH

DWN B.WONG	20JUL10
CHK C.WANG	20JUL10
APVD S.YAO	20JUL10
PRODUCT SPEC	108-5701
APPLICATION SPEC	
WEIGHT	3.2 g
CUSTOMER DRAWING	

TE Connectivity

NAME	DDR1 & DDR2 SODIMM SOCKET 0.6mm PITCH 200POS LOW PROFILE STANDARD TYPE (LATCH DIRECT SOLDERING TYPE)		
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-1827236	

SCALE	SHEET	REV
2:1	1 OF 4	R2

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

NOV ,2004.

© COPYRIGHT 2004 By -

ALL RIGHTS RESERVED.

LOC
J

DIST

REVISIONS

P

LTR


DESCRIPTION

DATE

DWN


APVD

- SEE SHEET 1


REFERENCE P.C. BOARD PATTERN LAYOUT
(CONNECTOR MOUNTING SIDE)

REAL SIZE (SCALE 1:1)

1.8V	17.55	2.4	2.7
2.5V	18.45	1.5	1.8
POWER SUPPLY	D5	D4	D3



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
MM

MATERIAL

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC	±
1 PLC	±
2 PLC	±
3 PLC	±
4 PLC	±
ANGLES	±
FINISH	±

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

STE

TE Connectivity

NAME

DDR1 & DDR2 SODIMM SOCKET 0.6mm PITCH
200POS LOW PROFILE STANDARD TYPE
(LATCH DIRECT SOLDERING TYPE)

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A300779

C-1827236


SCALE 2:1

SHEET 2 OF 4

REV R2

1470-19 (3/11)

LOC		DIST		REVISIONS					
P	LTR	DESCRIPTION			DATE	DWN	APVD		
	-	SEE SHEET 1			-	-	-		



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	 TE Connectivity			
		CHK				
		APVD	NAME			
		PRODUCT SPEC	SEMI-HARD TRAY ASSY			
		APPLICATION SPEC	DDR1 & DDR2 SODIMM SOCKET 200P LOW PROFILE STANDARD TYPE (LATCH DIRECT SOLDERING TYPE)			
		WEIGHT	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
		CUSTOMER DRAWING	A3	00779	C-1827236	
		SCALE	1:2	SHEET	4 OF 4	REV R2