




NOTES:

- MATERIALS : HOUSING AND BASEPLATE
 - LCP, GLASS FILLED, UL 94V-0, BLACK
 - LATCH
 - HIGH TEMP. NYLON, GLASS FILLED, UL 94-0, NATURAL (OFF WHITE)
 - TERMINALS AND FORKLOCK - COPPER ALLOY
- PLATING : CONTACT AREA - SEE TABLE IN SHEET 5
 - SOLDERTAIL - SEE TABLE IN SHEET 5
- REFER TO PRODUCT SPECIFICATION, PS-87803-003 FOR PERFORMANCE SPECIFICATIONS.
- CARD SLOTS ACCEPTS 1.27±0.10 MM MODULE THICKNESS. (MEASURED OVER PC PADS)
- RECOMMENDED MODULE CARD LAYOUT SHALL BE AS PER JEDEC MO-237.
- PRODUCT IS PACKED IN TRAY.
- MOLEX LOGO, DATE CODE AND PART NUMBER INDICATED ON HOUSING.
- CONTACT MOLEX FOR AVAILABILITY OF PRODUCT OPTIONS.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE	CURRENT REV DESC: REMOVED OBSOLETE PART NUMBERS AS PER PCN#513386.						
MM		NTS							
GENERAL TOLERANCES (UNLESS SPECIFIED)			STATUS: Production DRWN: Ravindra Reddy MS CHK'D: Ganesh Rao B APPR: Gurunandan GA 2023-08-09 2024-03-18 2024-03-18						
ANGULAR TOL		± 5°							
4 PLACES		±							
3 PLACES		±							
2 PLACES		± 0.250							
1 PLACE		±							
0 PLACES		±							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER		SHEET NUMBER
				A3-SIZE	87803	SEE TABLE	GENERAL MARKET		1 OF 5

DOCUMENT NUMBER

SD-87803-010

DOC TYPE

PSD

DOC PART

001


REVISION


C1


PRODUCT SALES DRAWING

DDR2 DIMM, 1.00MM PITCH

240 CKTS, 25 DEG.







10	9	8	7	6	5	4	3	2	1