





1. MATERIAL:
CAGE ASSEMBLY: NICKEL SILVER ALLOY
GASKET RETENTION PLATE: STAINLESS STEEL
EMI GASKET: PLATED FILLED SILICONE
PCB GASKET: RF ABSORBER
2. MINIMUM PC BOARD THICKNESS:
SINGLE SIDED = 1.45mm
BELLY TO BELLY = 3mm
3. PADS AND VIAS CHASSIS GROUND
4. DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER
5. MATES WITH SFP MSA COMPLIANT TRANSCEIVERS
6. INTERPRETATION OF DATUM REFERENCE FRAME IN ACCORDANCE WITH SECT 4.4.1.1 OF ASME Y14.5M-1994
7. REFERENCE APPLICATION SPEC. 114-13120, HOLE A, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS
8. REFERENCE APPLICATION SPEC. 114-13120, HOLE B, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS
9. HOLE PATTERN REPEATS FOR EACH PORT, SPACING BETWEEN PORTS IS 14.25mm
10. PRODUCT COMPLIES WITH SPECIFICATION SFF-8433, IMPROVED PLUGGABLE FORM FACTOR FOR SFP+ GANGED CAGES
11. CONTACT STANDOFF WILL PIERCE GASKET WHEN PROPERLY PRESSED INTO PCB.

LOC	DIST	REVISIONS						
		P	LTR	DESCRIPTION	DATE	DWN	APVD	
GP	00		A	REVISED PER ECO-15-002647	05MAR2015	AP	MS	
			B	REVISED PER ECO-16-014593	14FEB2017	JW	SH	

EL							


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M.E. CONHER	22JAN2013	TE Connectivity		
DIMENSIONS:		CHK M.D. MORRISON	01FEB2013			
mm		APVD M.J. PHILLIPS	01FEB2013	NAME CAGE ASSEMBLY, ENHANCED, PRESS-FIT, IX6, zSFP+		
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		
		0 PLC ±0.1 1 PLC ±0.1 2 PLC ±0.08 3 PLC ±0.05 4 PLC ± ANGLES ±1° FINISH -		108-2364		
MATERIAL SEE NOTE 1		APPLICATION SPEC		SIZE A100779		
		114-13120		CAGE CODE C=2198724		
		WEIGHT		DRAWING NO Customer Drawing		
				RESTRICTED TO -		
				SCALE 4:1		
				SHEET 1		
				OF 4		
				REV B1		

LOC		DIST		REVISIONS			
GP		00		P	LTR	DESCRIPTION	DATE
				-	-	SEE SHEET 1	-




RECOMMENDED BEZEL OPENING
SINGLE SIDED APPLICATIONS
SCALE 2:1

0.19±0.1
BEZEL CUT-OUT
BELOW PCB SURFACE



MOUNTED ON PC BOARD
SHOWN THRU RECOMMENDED BEZEL
SCALE 4:1


(1.45)



RECOMMENDED BEZEL OPENING
BELLY TO BELLY APPLICATIONS
SCALE 2:1

0.19±0.1
BEZEL CUT-OUT
BELOW PCB SURFACE


0.19±0.1
BEZEL CUT-OUT
ABOVE PCB SURFACE




MOUNTED BELLY TO BELLY ON PC BOARD
SHOWN THRU RECOMMENDED BEZEL
SCALE 4:1

(3)

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN M.E. CONNER	22JAN2013	TE Connectivity	
DIMENSIONS:		CHK M.D. MORRISON	01FEB2013		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD M.J. PHILLIPS	01FEB2013	NAME CAGE ASSEMBLY, ENHANCED, PRESS-FIT, 1X6, zSFP+	
	0 PLC ±0.1	PRODUCT SPEC		SIZE CAGE CODE DRAWING NO	
	1 PLC ±0.1	108-2364		A100779C=2198724	
MATERIAL SEE NOTE 1	2 PLC ±0.08	APPLICATION SPEC		RESTRICTED TO	
	3 PLC ±0.05	114-13120		SCALE 4:1 SHEET 2 OF 4 REV B1	
		WEIGHT			
		Customer Drawing			





LOC		DIST		REVISIONS					
GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M.E. CONNOR 22JAN2013		 TE Connectivity	
DIMENSIONS:		CHK M.D. MORRISON 01FEB2013			
mm		APVD M.J. PHILLIPS 01FEB2013		NAME	
		PRODUCT SPEC		CAGE ASSEMBLY, ENHANCED, PRESS-FIT, 1X6, zSFP+ -	
		108-2364			
		APPLICATION SPEC			
		114-13120			
MATERIAL		WEIGHT		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
SEE NOTE 1		-		A100779C=2198724	
FINISH		Customer Drawing		SCALE 4:1 SHEET 4 OF 4 REV B1	