






△ MATERIALS:
CAGE ASSEMBLY- NICKEL SILVER ALLOY PER ASTM B 122.
BRACKET- STAINLESS STEEL.
EMI GASKET- PLATED FILLED SILICONE.
HOUSING- BLACK LCP, UL 94V-0 RATED.
CHICKLET- BLACK LCP, UL 94V-0 RATED.
LIGHT PIPE- POLYCARBONATE, CLEAR.
INSERT - (FOR LIGHT PIPE PART NUMBERS ONLY) - LCP, BLACK, UL 94V-0.
CONTACT- COPPER ALLOY.


3. MINIMUM PCB THICKNESS OF 1.5.

5. CONTACT FINISH- CONFORMS TO THE REQUIREMENTS OF TYCO ELECTRONICS PRODUCT SPECIFICATION 108-2331, BASED ON EIA/ECA-364-1000.01A, (CONTROLLED ENVIRONMENT APPLICATIONS) ON MATING INTERFACE, TIN ON NEEDLE EYE.


△ THE ENTIRE AREA OF THE CONNECTOR FOOTPRINT, INDICATED BY THE DASHED LINE, TO BE CONSIDERED THE KEEPOUT AREA FOR COMPONENTS AND SIGNAL TRACES, TOP SIDE ONLY. TOP SIDE TRACES ALLOWED WITHIN CONNECTOR HOLE PATTERN.

9 ADDITIONAL COMPONENT LOCATED WITHIN
LATCHPLATE FOR EMI SUPPRESSION


THIS DRAWING IS A CONTROL DOCUMENT.		DWN M SHIRK 18JAN2008 CHK D SZCZESNY 18JAN2008		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.10 1 PLC ±0.10 2 PLC ±0.10 3 PLC ±0.10 4 ANGLES ±°		NAME CAGE AND PT CONNECTOR ASSEMBLY, WITH EMI GASKET, PRESS FIT, 2X26, STACKED SFP+	
		PRODUCT SPEC 108-2331 APPLICATION SPEC 114-13219		SIZE A1	
MATERIAL 		FINISH 		DRAWING NO C=2007567	
		WEIGHT -		RESTRICTED TO	
CUSTOMER DRAWING				SCALE 4:1 SHEET 1 OF 4 REV D	




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-




2007567-5 AND 1-2007567-5
SCALE 3:1




2007567-6 AND 1-2007567-6
SCALE 3:1




2007567-7 AND 1-2007567-7
SCALE 3:1




2007567-8 AND 1-2007567-8
SCALE 3:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. SHIRK 18JAN2008	 TE Connectivity	
		CHK D. SZCZESNY 18JAN2008		
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME
		0 PLC ±0.10		CAGE AND PT CONNECTOR ASSEMBLY, WITH EMI GASKET, PRESS FIT, 2X6, STACKED SFP+
		1 PLC ±0.10		
		2 PLC ±0.10		
		3 PLC ±0.10		
		4 PLC ±0.10		
ANGLES		PRODUCT SPEC	SIZE	RESTRICTED TO
FINISH		108-2331	A1	
		APPLICATION SPEC		
		114-13219		
		WEIGHT		
		-		
MATERIAL		CUSTOMER DRAWING		SCALE 4:1 SHEET 2 OF 4 REV D

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-





RECOMMENDED PCB LAYOUT
COMPONENT SIDE OF BOARD
SCALE 5:1




DETAIL H
CONNECTOR PIN-OUT
COMPONENT SIDE OF BOARD
6X INDIVIDUALLY
SCALE 10:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. SHIRK 18JAN2008	TE Connectivity	
DIMENSIONS:		CHK D. SZCZESNY 18JAN2008		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD D. SZCZESNY 18JAN2008	NAME CAGE AND PT CONNECTOR ASSEMBLY, WITH EMI GASKET, PRESS FIT, 2X6, STACKED SFP+	
	0 PLC	±0.10	PRODUCT SPEC	
	1 PLC	±0.10	108-2331	
	2 PLC	±0.10	APPLICATION SPEC	
	3 PLC	±0.10	114-13219	
	4 PLC	±	114-13219	
MATERIAL	ANGLES	FINISH	WEIGHT	RESTRICTED TO
CUSTOMER DRAWING		SCALE 4:1	SHEET 3 OF 4	REV D1



RECOMMENDED PANEL CUTOUT
AND PC BOARD, PANEL POSITION
SCALE 2:1

SECTION U - U

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 18JAN2008 CHK M SHIRK 18JAN2008 D SZCZESNY APVD D SZCZESNY 18JAN2008		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.10 1 PLC ±0.10 2 PLC ±0.10 3 PLC ±0.10 4 PLC ±.1 ANGLES ±.1		NAME CAGE AND PT CONNECTOR ASSEMBLY, WITH EMI GASKET, PRESS FIT, 2X6, STACKED SFP+	
		PRODUCT SPEC 108-2331 APPLICATION SPEC 114-13219		SIZE A1	
MATERIAL FINISH		WEIGHT 100779		DRAWING NO C=2007567	
CUSTOMER DRAWING		SCALE 4:1		SHEET 4 OF 4 REV D	