




 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.

3. MINIMUM PCB THICKNESS OF 1.5.

4 CONTACT FINISH: CONFORMS TO THE REQUIREMENTS OF TYCO ELECTRONICS
PRODUCT SPECIFICATION 108-2331, BASED ON EIA/ECA-364-1000.01A,
(CONTROLLED ENVIRONMENT APPLICATIONS) ON MATING INTERFACE,
TIN-LEAD ON NEEDLE EYE.


5 CONTACT FINISH: CONFORMS TO THE REQUIREMENTS OF TYCO ELECTRONICS
PRODUCT SPECIFICATION 108-2331, BASED ON EIA/ECA-364-1000.01A,
(CONTROLLED ENVIRONMENT APPLICATIONS) ON MATING INTERFACE,
TIN ON NEEDLE EYE.

△ FOR HOLE SIZE AND PLATINGS, SEE APPLICATION SPEC 114-13219.


△ THE ENTIRE AREA OF THE CONNECTOR FOOTPRINT, INDICATED BY THE DASHED LINE, TO BE CONSIDERED THE KEEPOUT AREA FOR COMPONENTS AND SIGNAL TRACES, TOP SIDE ONLY. TOP SIDE TRACES ALLOWED WITHIN CONNECTOR HOLE PATTERN.

△ LIGHT PIPE PAD LAYOUT IS FOR 0805 LOW PROFILE LED PACKAGE
WITH A HEIGHT OF 0.8mm.


9 ADDITIONAL COMPONENT LOCATED WITHIN LATCHPLATE FOR EMI SUPPRESSION.

4805 (3/13)


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-




2007399-5 AND 1-2007399-5
SCALE 3:1




2007399-6 AND 1-2007399-6
SCALE 3:1






2007399-7 AND 1-2007399-7
SCALE 3:1



2007399-8 AND 1-2007399-8
SCALE 3:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. SHIRK	10OCT2007	 TE Connectivity	
		CHK D. SZCZESNY	10OCT2007		
DIMENSIONS:		APVD D. SZCZESNY	10OCT2007	NAME CAGE AND PT CONNECTOR ASSEMBLY, WITH EMI GASKET, PRESS FIT, 2X4, STACKED SFP+	
mm		PRODUCT SPEC			
		108-2331		SIZE A1	
		APPLICATION SPEC			
		114-13219		CAGE CODE C=2007399	
		FINISH			
MATERIAL		WEIGHT		RESTRICTED TO -	
		CUSTOMER DRAWING			
				SCALE 4:1	SHEET 1 OF 4
				REV D2	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



RECOMMENDED PCB LAYOUT
COMPONENT SIDE OF BOARD
SCALE 5:1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±0.10
1 PLC ±0.10
2 PLC ±0.10
3 PLC ±0.10
4 PLC ±0.10
ANGLES ±°
FINISH ±

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN M. SHIRK 10OCT2007
CHK D. SZCZESNY 10OCT2007
APVD D. SZCZESNY 10OCT2007

PRODUCT SPEC

108-2331

APPLICATION SPEC

114-13219

WEIGHT

-

CUSTOMER DRAWING

SCALE 4:1

SHEET 1 OF 4

REV D2

TE Connectivity

NAME

CAGE AND PT CONNECTOR ASSEMBLY,
WITH EMI GASKET,
PRESS FIT, 2X4, STACKED SFP+

SIZE

CAGE CODE

DRAWING NO


RESTRICTED TO

A100779


C=2007399

-


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



DETAIL G
CONNECTOR HOUSING
KEEPOUT ZONE
4X INDIVIDUALLY
SCALE 10:1



RECOMMENDED PANEL CUTOFF
AND PC BOARD, PANEL POSITION
SCALE 2:1



SECTION U-U

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. SHIRK	10OCT2007	 TE Connectivity	
		CHK D. SZCZESNY	10OCT2007		
DIMENSIONS:		APVD D. SZCZESNY	10OCT2007	NAME CAGE AND PT CONNECTOR ASSEMBLY, WITH EMI GASKET, PRESS FIT, 2X4, STACKED SFP+	
mm		PRODUCT SPEC			
		108-2331		SIZE A100779	
		APPLICATION SPEC			
		114-13219		CAGE CODE 2007399	
		FINISH			
MATERIAL		WEIGHT		CUSTOMER DRAWING	
				SCALE 4:1 SHEET 1 OF 4 REV 02	