




747370111 SHOWN





SPRING FINGER GASKET WITH TWO POINTS OF CONTACT. COMPLIES WITH (SFP) MSA BOARD AND BEZEL LOCATIONS.

TABS USED TO MOUNT LIGHT PIPE COVER

CAGE IDENTIFICATION SEE NOTE 6

ONE PIECE DESIGN SECURLY FASTENED



- NOTES:
1. THIS CAGE IS FOR SINGLE SIDED USE ONLY.
 2. CAN BE USED WITH THE FOLLOWING LIGHT PIPE PART NUMBERS:
747260001 - LIGHT PIPE FROM BACK TO TOP (REFER TO DOCUMENT SD-74726-001)
747260002 - LIGHT PIPE FROM SIDE TO TOP (REFER TO DOCUMENT SD-74726-002)
 3. MATERIAL: COPPER ALLOY
 4. PLATING: MATTE TIN
 5. NO ROHS EXEMPTIONS.
 6. IDENTIFICATION IS STAMPED AS SHOWN ON RIGHT SIDE OF CAGE
LAST TWO DIGITS OF PART NUMBER
TOOLING NUMBER
REV LETTER OF CAGE
WW: WEEK OF THE YEAR PER ISO 8601
YY: LAST TWO DIGITS OF THE YEAR, FOR EXAMPLE 2013-13
EXAMPLE: 11 2 A 03 12

SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
DIMENSION UNITS		SCALE	CURRENT REV DESC:
= 0		mm	3:1
= 0		GENERAL TOLERANCES (UNLESS SPECIFIED)	
= 0		ANGULAR TOL	± 1.0°
= 0		4 PLACES	±
= 0		3 PLACES	±
= 0		2 PLACES	± 0.13
= 0		1 PLACE	± 0.25
= 0		0 PLACES	±
= 0		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION
= 0		DRAWING	SERIES
= 0		C-SIZE	74737
= 0		EC NO: 626031	2019/10/18
= 0		DRWN: ASYAMIKAR	2019/11/05
= 0		CHK'D: TKUMARKC	2019/11/05
= 0		APPR: JCHIANG	2019/11/05
= 0		INITIAL REVISION:	2019/10/18
= 0		DRWN: ASYAMIKAR	2019/11/05
= 0		APPR: JCHIANG	2019/11/05
= 0		DOCUMENT NUMBER	DOC TYPE
= 0		747370111	PSD
= 0		MATERIAL NUMBER	CUSTOMER
= 0		SEE P/N TABLE	SHEET NUMBER
= 0		1 OF 6	

molex

SFP ONE PIECE 1X1 CAGE 1.8MM LEGS W/SPRING FINGERS SOLDER POSTS

PRODUCT CUSTOMER DRAWING

747370111

PSD


ASY

E


SEE P/N TABLE

1 OF 6

747370111 SHOWN





747370063 SHOWN





F/G PART NUMBER	VENT HOLES	LEG HEIGHT
747370111	YES	1.8
747370063	NO	1.8

NOTES:
1. REFER TO SHEET 1 FOR COMMON FEATURES AND REQUIREMENTS.
2. 747370063 IS SIMILAR TO 74730111 EXCEPT WITHOUT VENT HOLES.


SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
	DIMENSION UNITS	SCALE	CURRENT REV DESC:			molex					
	mm	5:1	GENERAL TOLERANCES (UNLESS SPECIFIED)			SFP ONE PIECE 1X1 CAGE 1.8MM LEGS W/SPRING FINGERS SOLDER POSTS					
	ANGULAR TOL ± 1.0 °										
	4 PLACES	±	EC NO: 626031			PRODUCT CUSTOMER DRAWING					
	3 PLACES	±	DRWN: ASYAMIKAR 2019/10/18								
	2 PLACES	± 0.13	CHK'D: TKUMARKC 2019/11/05								
	1 PLACE	± 0.25	APPR: JCHIANG 2019/11/05								
	0 PLACES	±	INITIAL REVISION:			DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
					C-SIZE	74737	SEE P/N TABLE				2 OF 6







SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
 = 0		DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex					
 = 0		mm		4:1											
 = 0		GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 626031 DRWN: ASYAMIKAR 2019/10/18 CHK'D: TKUMARKC 2019/11/05 APPR: JCHIANG 2019/11/05				SFP ONE PIECE 1X1 CAGE 1.8MM LEGS W/SPRING FINGERS SOLDER POSTS					
 = 0		ANGULAR TOL ± 1.0 °													
 = 0		0 PLACES		±		INITIAL REVISION: DRWN: ASYAMIKAR 2019/10/18 APPR: JCHIANG 2019/11/05				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	
 = 0		3 PLACES		±						747370111		PSD	ASY	E	
 = 0		2 PLACES		± 0.13		THIRD ANGLE PROJECTION				MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
 = 0		1 PLACE		± 0.25						SEE P/N TABLE				4 OF 6	
 = 0		0 PLACES ±				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				C-SIZE		74737			


DOCUMENT STATUS	P1	RELEASE DATE	2019/11/05	10:34:06
-----------------	----	--------------	------------	----------







NOTES:

1. THIS CAGE IS FOR SINGLE SIDED USE ONLY.
2. CAN BE USED WITH THE FOLLOWING LIGHT PIPE PART NUMBERS:
747260001 - LIGHT PIPE FROM BACK TO TOP
(REFER TO DOCUMENT SD-74726-001)
747260002 - LIGHT PIPE FROM SIDE TO TOP
(REFER TO DOCUMENT SD-74726-002)
3. MATERIAL: COPPER ALLOY
4. PLATING: MATTE TIN
5. LEAD FREE, NO ROHS EXEMPTIONS
6. IDENTIFICATION IS STAMPED AS SHOWN ON RIGHT SIDE OF CAGE
LAST TWO DIGITS OF PART NUMBER
TOOLING NUMBER
REV LETTER OF CAGE
WW: WEEK OF THE YEAR PER ISO 8601
YY: LAST TWO DIGITS OF THE YEAR, FOR EXAMPLE 2013 = 13
EXAMPLE: 11 2 A 03 12



SPRING FINGER GASKET WITH
TWO POINTS OF CONTACT.
COMPLIES WITH (SFP) MSA
BOARD AND BEZEL LOCATIONS.





REVISED EC NO: CPG2013-0591 2012/09/11 2012/09/12 2012/09/12 2012/10/12	DRAWN/IN CHOKO/MCKEY	DESCRIPTION APPR/KLLOYD	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.13 ± --- 1 PLACE ± 0.25 ± --- 0 PLACE ± ±	DIMENSION STYLE MM ONLY DRAWN BY DATE MCKEY 2011/07/25 CHECKED BY DATE APPROVED BY DATE KLLOYD 2012/01/05 MATERIAL NO. 747370111	SCALE 5:1 TITLE 1X1 SFP TAPE AND REEL DOCUMENT NO. SD-74737-0111	DESIGN UNITS METRIC THIRD ANGLE PROJECTION	SHEET NO. 1 OF 5
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

- [illegible]



REVISED EC NO.: CPG2013-0591 DRAWN/IAN 2012/09/11 CHKD/MCKEVEY 2012/10/12 APPR/KLOYD 2012/10/12	QUALITY SYMBOLS	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
			mm	INCH	DRAWN BY	DATE	TITLE		
			4 PLACES ±	±	MCKEVEY	2011/07/25	1X1 SFP TAPE AND REEL		
			3 PLACES ±	±	CHECKED BY	DATE			
			2 PLACES ±	±	0.13				
			1 PLACE ±	±	0.25				
			0 PLACE ±	±					
			ANGULAR ± 1°		MATERIAL NO.		DOCUMENT NO.		SHEET NO.
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		747370111		SD-74737-0111		2 OF 5
			SIZE D	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					





REVISED EC NO.: CP32013-0591 DRAWN BY: CHYOMCKEY CHECKED BY: APPR:KLLOYD DATE: 2012/09/11 DATE: 2012/09/12 DATE: 2012/10/12	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 3:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	TITLE 1X1 SFP TAPE AND REEL
			mm	INCH	DRAWN BY	DATE	TITLE			
			4 PLACES ± --- ± ---	MMCKERVEY	2011/07/25					
			3 PLACES ± --- ± ---	CHECKED BY	DATE					
			2 PLACES ± 0.13 ± ---	APPROVED BY	DATE					
			1 PLACE ± 0.25 ± ---	KLLOYD	2012/01/05					
			0 PLACE ± ±	MATERIAL NO.		DOCUMENT NO.		SHEET NO.		
			747370111		SD-74737-0111		4 OF 5			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SIZE D	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

M L K J I H G F E D C B A

DATE	REV	DESCRIPTION
2011-07-25	1	PRE-RELEASE
2011-12-05	A	INITIAL RELEASE, PART IDENTIFICATION CHANGED [SHT1]; TAPE CHANGED TO TWO LAYER BOTTOM [SHT4]; CHANGED HOLE SPACING TO 68.4MM [SHT4]; ADDED DETAIL VIEW 1 [SHT4];
2012-01-05	A1	REMOVED 8.58 AND REPLACED WITH 0.57 [SHT1]; ADDED 0.30±0.10 [SHT3]; CORRECTED ARROW APPEARANCE [SHT4]
2012-08-08	C	DIM 1.80 UPDATED TO 1.80 TYP [SHT 1]. SECTION LINE MOVED [SHT 3], UPDATED ALL VIEWS [SHT4], UPDATED 15.1 TYP TO 15.3 TYP [SHT4], UPDATED 49.1 TYP TO 49.4 TYP [SHT4], UPDATED 14 TYP TO 15.6 TYP [SHT 4]
2012-09-12	D	UPDATED TRAY REEL CONE HEIGHT [SHT 4]

REVISED EC NO. CPG2013-0591 DRAWN BY: CHYKMMCKERVEY CHECKED BY: KLLLOYD APPROVAL DTD: 2012/09/11 2012/09/12 2012/10/12	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE		SCALE 5:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
			MM ONLY					
			DRAWN BY DATE					TITLE 1X1 SFP TAPE AND REEL
			MMCKERVEY 2011/07/25					
			CHECKED BY DATE					
APPROVED BY DATE								
KLLLOYD 2012/01/05								
MATERIAL NO.								
ANGULAR ± 1 °		DOCUMENT NO.		SHEET NO.				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		747370111		SD-74737-0111		5 OF 5		
SIZE D		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1