



PRODUCT NUMBER
SEE SHEET 2




EXTENDED RANGE

- TOOLING FEASIBILITY CONFIRMED
- SAMPLES ON DEMAND
- AVAILABILITY ON DEMAND



mat'l. code SEE P/N				surface ISO 1302	tolerance ISO 406 ISO 1101	projection	product family PV TERMINAL			
ltr	ecm no	dr	date	tolerances unless otherwise specified		 mm scale 4:1	title CTW MALE PIN			
M	V41701	LSS	94.12.22	angles	linear		dwg no 47791 sheet 1 of 3 size A3			
N	V04-0056	VS	04.02.17							
P	V05-0254	HTB	05.03.18	or ±2°						
R	V06-0583	HTB	06.06.27	dr	M.CLOUSER	94.08.22	type CUSTOMER Drawing			
S	V08-0114	HTB	06.06.27	enr	T.HANNA	94.08.22				
T	F-57747	DDE	25.10.17	chr	T.HANNA	94.08.22				
				appd	T.HANNA	94.08.22				
sheet index	revision sheet	T	T	T						
		1	2	3						

PRODUCT NUMBER		AWG	DIM A	DIM B	DIM C	DIM D	DIM E	DIM F	
REELED FOR APPLICATION MACHINES FEEDING									
LEFT – RIGHT	RIGHT – LEFT								
47791–003LF	47791–000LF	28–32	1.37	1.47	0.28	2.92	2.67	1.02	
47792–003LF	47792–000LF	22–26	1.78	1.65	0.43	3.53	3.05	1.27	
47793–003LF	47793–000LF	18–20	2.64	2.64	0.53	3.53	3.05	1.27	




NOTES:

1. MATERIAL: C26000 CARTRIDGE BRASS, 3/4 HD.
2. PLATING: ELECTRODEPOSITED GOLD 1.27µm AVG. THICKNESS IN CONTACT AREA. REMAINDER GOLD FLASH. UNDERPLATE 1.27µm NICKEL
3. FOR MANUFACTURING PURPOSES ONLY.
4. TERMINAL MAY BE USED WITH MINI LATCH HOUSING.
5. APPLICABLE SPECIFICATIONS:
A. BUS-12-098 PRODUCT SPECIFICATION.
B. TA-211 CRIMP SPECIFICATION.
6. PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
7. THIS PRODUCT IS NOT INTENDED TO BE EXPOSED TO MANUFACTURING SOLDER PROCESSES.


mat'l. code SEE P/N				surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection mm	product family PV TERMINAL			
ltr	ecn no	dr	date	tolerances unless otherwise specified		mm scale 4:1	title CTW MALE PIN			
S	V08-0114	HTB	06.06.27	angles	linear		dwg no 47791			
T	F-57747	DDE	25.10.17	or ±2°	.xx ±0.13					
					.xxx ±0.051					
				dr	M.CLOUSER	94.08.22	type CUSTOMER			
				enr	T.HANNA	94.08.22				
				chr	T.HANNA	94.08.22				
				appd	T.HANNA	94.08.22				
sheet index	revision sheet									

PRODUCT NUMBER

SEE SHEET 2



Unreeing Direction
Left to Right Into
Applicator



Unreeing Direction
Right to Left Into
Applicator

mat'l. code SEE P/N				surface ISO 1302 ☒	tolerance ISO 406 ISO 1101	projection 	product family PV TERMINAL			
ltr	ecm no	dr	date	tolerances unless otherwise specified			title			
S	V08-0114	HTB	06.06.27	angles	linear	.X ±0.3	CTW MALE PIN			
T	F-57747	DDE	25.10.17	or ±2°		.XX ±0.13				
						.XXX ±0.051	scale 4:1			
				dr	M.CLOUSER	94.08.22				
				enr	T.HANNA	94.08.22				
				chr	T.HANNA	94.08.22				
				appd	T.HANNA	94.08.22				
sheet index	revision sheet						dwg no			
							47791			
							type CUSTOMER Drawing			
							sheet 3 of 3 size A3			